Reiniciar servicios en Proxmox VE

Algunas veces nos encontramos con que la GUI de Proxmox VE no nos muestra información sobre los nodos, o las máquinas virtuales.

A veces esto ocurre por la caché, por lo que te recomiendo cambiar de navegador o vaciar la caché. Si aún así persiste, no quedará más remedio que reiniciar los servicios.

En algunos casos, esto se debe a que algún servicio se queda inestable.

```
Jan 04 09:57:56 pve01.etaboada.com pveproxy[3397259]: Clearing outdated entries from
certificate cache
Jan 04 09:58:05 pve01.etaboada.com pveproxy[3458425]: Clearing outdated entries from
certificate cache
Jan 04 10:07:20 pve01.etaboada.com pveproxy[3458425]: proxy detected vanished client
connection
Jan 04 10:25:05 pve01.etaboada.com pveproxy[3353611]: Clearing outdated entries from
certificate cache
Jan 04 10:34:09 pve01.etaboada.com pveproxy[3397259]: Clearing outdated entries from
certificate cache
Jan 04 10:34:17 pve01.etaboada.com pveproxy[3458425]: Clearing outdated entries from
certificate cache
```

Algunos de los demonios puede verse afectado

```
? pvestatd.service - PVE Status Daemon
     Loaded: loaded (/lib/systemd/system/pvestatd.service; enabled; vendor preset: enabled)
     Active: active (running) since Mon 2024-06-03 14:48:44 CEST; 7 months 1 days ago
    Process: 4142686 ExecReload=/usr/bin/pvestatd restart (code=exited, status=0/SUCCESS)
   Main PID: 4561 (pvestatd)
      Tasks: 1 (limit: 618978)
     Memory: 98.6M
     CGroup: /system.slice/pvestatd.service
             ??4561 pvestatd

Jan 04 10:47:01 pve01.etaboada.com pvestatd[4561]: unable to get PID for CT 2650 (not
running?)
Jan 04 10:47:02 pve01.etaboada.com pvestatd[4561]: unable to get PID for CT 2650 (not
running?)
Jan 04 10:47:10 pve01.etaboada.com pvestatd[4561]: unable to get PID for CT 2650 (not
running?)
Jan 04 10:47:30 pve01.etaboada.com pvestatd[4561]: unable to get PID for CT 2654 (not
running?)
Jan 04 10:47:31 pve01.etaboada.com pvestatd[4561]: unable to get PID for CT 2654 (not
running?)
Jan 04 10:47:51 pve01.etaboada.com pvestatd[4561]: unable to get PID for CT 2659 (not
running?)
Jan 04 10:47:51 pve01.etaboada.com pvestatd[4561]: unable to get PID for CT 2659 (not
```

```
running?)
Jan 04 10:49:31 pve01.etaboada.com pvestatd[4561]: unable to get PID for CT 2660 (not
running?)
Jan 04 10:49:32 pve01.etaboada.com pvestatd[4561]: unable to get PID for CT 2660 (not
running?)
Jan 04 10:52:03 pve01.etaboada.com pvestatd[4561]: modified cpu set for lxc/2588: 0
```

En este caso, se puede intentar reiniciar los servicios, comenzando por parar el corosync y después los servicios de cluster pvedaemon, pveproxy y pvestatd

```
killall -9 corosync
systemctl restart pve-cluster
systemctl restart pvedaemon
systemctl restart pveproxy
systemctl restart pvestatd
```

Una vez realizado esto, comprobaremos que los servicios están de nuevo activos.

```
systemctl status pve-cluster
systemctl status pvedaemon
systemctl status pveproxy
systemctl status pvestatd
```

Y volveremos a nuestra GUI.

Revision #1
Created 7 January 2025 06:20:19 by Eduardo Taboada
Updated 7 January 2025 06:28:32 by Eduardo Taboada